Gulfi
CERAMICHE

Commercializzato da Gulfi Ceramiche

PIATTAFORMA **ITALIA** 2023/24



INDEX

L'AZIENDA 2
Company

SLABS XXL TILES 5

ÉTOILE 120×280 7
PATAGONIA 120×240 15
CAMOUFLAGE 120×240 21
ONIX 120×240 27
GLAM 120×240 33
UNIKA LUX 120×240 39
IN RESIN 120×240 51
IN SIDE 120×240 57

LUX 63

EXOTICA 65
PREZIOSI 77
BIANCHI 93
MARMI 105
ONICI 119

MATT 129

IN RESIN 120×120 131
SMOOTH 60×120 139
IN STONE 60×120 145

MERCHANDISING 153

DATI TECNICI 156
Technical data

Caratteristiche tecniche 157
Technical characteristics

Imballi 158
Packing details

Condizioni generali di vendita 159
General conditions of sales

PIATTAFORMA
///ITALIA

L'AZIENDA
Company

Via Roma ceramiche è un'azienda italiana che produce e commercializza gres porcellanato rettificato e rivestimenti di ceramica in pasta bianca con grande varietà di formati, spessori e superfici adatte alle più svariate destinazioni d'uso.
Una realtà giovane che ha deciso di puntare sulle materie prime, sull'innovazione, sulla ricerca ed il design che avviene rigorosamente in Italia presso i migliori laboratori del comprensorio ceramico di Sassuolo.

Grazie al consolidamento di una rete commerciale capillare, Via Roma ceramiche è fortemente presente, oltre che in Italia, in Europa, Sud America, Africa, Caraibi e Paesi dell'Oltremare.

Alla sede di Salerno, dove sono presenti gli uffici commerciali e amministrativi, si affianca la sede di Fiorano Modenese (MO) con uffici, showroom di rappresentanza e deposito logistico.

Oltre alle sedi italiane, è stato aperto un ufficio a Morby, comprensorio della produzione di ceramica in India, con un Team di professionisti altamente qualificati che si occupa del controllo qualità nei vari stabilimenti produttivi, sin dalle prime fasi della produzione. L'ufficio indiano si occupa anche dello sviluppo del brand Via Roma nel mercato indiano.

Via Roma ceramiche is an Italian company that manufactures and sells porcelain stoneware tiles and ceramic wall tiles (white body) with a wide variety of sizes, thicknesses and surfaces suitable for the most varied uses.

A young reality that has decided to focus on raw materials, innovation, research and design that takes place strictly in Italy in the best laboratories in the Sassuolo ceramic area.
Thanks to the consolidation of a capillary commercial network, Via Roma ceramiche is strongly present, as well as in Italy, in Europe, South America, Africa, the Caribbean and overseas countries.

At the headquarters in Salerno, where the commercial and administrative offices are present, there is also Fiorano Modenese (MO) headquarters with representative offices, showroom and logistics warehouse.

In addition to the Italian offices, an office has been opened in Morby, a ceramic production area in India, with an highly qualified team of professionals that deals with quality control in the various production facilities, starting from the beginning of production. The Indian office also deals with the development of the Via Roma brand in the Indian market.

What makes us **DIFFERENT.**

RICERCA E SVILUPPO
Research and development

La ricerca e lo sviluppo della nostra gamma prodotti viene realizzata nei migliori laboratori grafici del Distretto Ceramico di Sassuolo.

The research and the development of our products is realized in the best graphic Laboratories in Sassuolo Ceramic District.

CONTROLLO QUALITÀ
Quality control

99% di prodotto conforme
Tutte le produzioni vengono controllate e certificate dal nostro ufficio qualità direttamente in India, prima della partenza del container, secondo gli standard EN 14411 - ISO 13006:2018 – G.

99% compliant product
All the productions are controlled and certified by our quality office directly in India, before the container leaves from the loading port, according to the EN 14411 – ISO 13006: 2018 – G standards.

CERTIFICAZIONI
Certifications

Tutta la nostra gamma prodotti è certificata dal **Centro Ceramico di Bologna** secondo gli standard **EN 14411 – ISO 13006:2018 – G.**

*All our product range is checked and certified by **Centro Ceramico di Bologna** according to **EN 14411 – ISO 13006:2018 – G** standards.*

SLABS

XXL TILES

XXL TILES

ÉTOILE

120×280

4 COLORI / ⫟ **6** mm

LUX & **MATT** / RETTIFICATO

4 COLORS / ⫟ 6 mm / LUX & MATT / RECTIFIED

FLOOR **SAHARA NOIR** | WALL & TOP **CALACATTA ORO** 120×280 | 48"×111"

Étoile
120×280

La collezione di lastre effetto marmo di ViaRoma ceramiche si amplia con il nuovo formato 120×280 cm in due superfici lux e soft.
Il connubio perfetto tra classico e contemporaneo, assicura allo stesso tempo una varietà di soluzioni al fine di arricchire con rigorosa raffinatezza ogni spazio privato e pubblico.
Leggere e resistenti sono adatte a pavimenti e rivestimenti di piccole e grandi superfici, applicazioni su top, cucine e complementi d'arredo, versatili per qualunque tipo di progetto.

ViaRoma ceramiche marble effect collection is going bigger with the new big size 120×280 cm in soft and polished finishing.
The perfect mix between classic and contemporary, is a guarantee for a huge variety of solutions in order to add a buster of elegance in every private and public spaces.
The slabs are light and strong, and for this reason, they are a good solution to every project: floors and coatings, tops, kitchens and furnishing accessories.

SPESSORE
THICKNESS
6 mm

ÉLITE RENOIR

HIGH GLOSS | SOFT

Gres porcellanato colorato in massa rettificato
Rectified coloured body porcelain stoneware

FORMATO SIZE
120×280
48"×111"

HG H8 | SOFT S8

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 6 SPESSORE THICKNESS

DESIGN VARIATION

CALACATTA ORO

HIGH GLOSS | SOFT

Gres porcellanato colorato in massa rettificato
Rectified coloured body porcelain stoneware

FORMATO SIZE
120×280
48"×111"

HG H8 | SOFT S8

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 6 SPESSORE THICKNESS

DESIGN VARIATION

ROYAL GREY LIGHT

POLISHED | SOFT

Gres porcellanato colorato in massa rettificato
Rectified coloured body porcelain stoneware

FORMATO SIZE
120×280
48"×111"

POL. P8 | SOFT S8

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 6 SPESSORE THICKNESS

DESIGN VARIATION



XXL TILES

SAHARA NOIR

HIGH GLOSS | SOFT

Gres porcellanato colorato in massa rettificato
Rectified coloured body porcelain stoneware

FORMATO SIZE
120×280
48"x111"

HG H8 | SOFT S8

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 6 SPESSORE THICKNESS

DESIGN VARIATION



XXL TILES

PATAGONIA

120×240

2 COLORI / ⇳ **9** mm

LUX / RETTIFICATO

2 COLORS / ⇳ 9 mm / LUX / RECTIFIED

WALL **PATAGONIA SILVER** 120×240 | 48"x95" FLOOR **SMOOTH BIANCO** 60x120 | 24"x48"

PATAGONIA

XXL TILES

PATAGONIA SILVER

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

PATAGONIA BRONZE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



XXL TILES

CAMOUFLAGE

120×240

2 COLORI / **9** mm

LUX / RETTIFICATO

2 COLORS / 9 mm / LUX / RECTIFIED



CAMOUFLAGE

XXL TILES

WALL **CAMOUFLAGE IVORY** 120×240 | 48"x95"

CAMOUFLAGE IVORY

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

CAMOUFLAGE BEIGE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

ONIX

120×240

2 COLORI / **9** mm

LUX / RETTIFICATO

2 COLORS / 9 mm / LUX / RECTIFIED

WALL **ONIX VENATO** 120×240 | 48"x95"

XXL TILES

ONIX

ONIX MOON

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

POL. P7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



ONIX VENATO

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

POL. P7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

GLAM

120×240

2 COLORI / **9** mm

LUX / RETTIFICATO

2 COLORS / 9 mm / LUX / RECTIFIED



GLAM

XXL TILES

WALL **BLU LAPISLAZULI** 120×240 | 48"x95" | FLOOR **CALACATTA VAGLI** 120×240 | 48"x95"



PORT LAURENT

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION







XXL TILES

BLU LAPISLAZULI

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



XXL TILES

UNIKALUX

120×240

4 COLORI / **9** mm

LUX / RETTIFICATO

4 COLORS / 9 mm / LUX / RECTIFIED



XXL TILES

UNIKALUX

FLOOR & WALL **CALACATTA VAGLI** 120×240 | 48"x95"

CALACATTA GOLD 120x240 | 48"x95"

XXL TILES

FLOOR **ÈLITE RENOIR** + **PULPIS GREY** 120×240 | 48"x95"

UNIK

CALACATTA GOLD

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

POL. P7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

CALACATTA VAGLI

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

POL. P7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

ÉLITE RENOIR

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

PULPIS GREY

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

HG H7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

IN**RESIN**

120×240

2 COLORI / **9** mm

MATT / RETTIFICATO

2 COLORS / 9 mm / MATT / RECTIFIED

GREY

TAUPE

inResin
120×240

La collezione InResin 120×240 dalle texture dolcemente mosse e irregolari si ispira alle superfici spatolate delle pavimentazioni continue in resina. Questa proposta in gres porcellanato di grande formato è una soluzione minimalista e creativa pensata per spazi architettonici contemporanei e di design.

InResin collection (120×240 cm) with its wavy and irregular patterns is inspired by the spatulated surfaces of continuous resin floors.
This big slab porcelain stoneware is a minimalist and creative idea for contemporary and modern architectural spaces.

SPESSORE
THICKNESS

9 mm

FLOOR **IN RESIN TAUPE** | WALL **IN RESIN GREY** 120×240 | 48"×95"

IN RESIN GREY

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

SOFT S7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

IN RESIN TAUPE

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

SOFT S7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

XXL TILES

INSIDE
120×240

2 COLORI / **9** mm
MATT / RETTIFICATO
2 COLORS / 9 mm / MATT / RECTIFIED

FLOOR **IN SIDE SILVER** | WALL **IN SIDE RUST** 120×240 | 48"×95"

inSide
120×240

La collezione di lastre in gres porcellanato 120×240 InSide per progetti di interior dallo stile industrial e contemporaneo.
Ispirata alle lamiere ossidate, è una collezione che risplende di luce propria riprendendo la palette cromatica dei classici colori del metallo, come il grigio dell'alluminio e la ruggine del Corten.

InSide is a big slabs porcelain stoneware collection (120×240cm) good for all the interior projects in industrial and contemporary style.
Oxidized metals and their classic color variations are the inspiration for this collection: from grey like aluminum to the Corten rust.

SPESSORE
THICKNESS

9 mm

IN SIDE SILVER

MATT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

MATT M7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

IN SIDE RUST

MATT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATO SIZE
120×240
48"x95"

MATT M7

DIGITAL TECHNOLOGY · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V2 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

LUX

EXOTICA

6 COLORI / **9** mm
LUX & **MATT** / RETTIFICATO
6 COLORS / 9 mm / LUX & MATT / RECTIFIED





FLOOR **BRECCIA PARADISO** | WALL **LABRADORITE** 60×120 | 24"×48"

CALACATTA ORO + SAHARA NOIR 60x120 | 24"x48"

Exotica
HIGH GLOSS

Lucentezza straordinaria
Elevata durabilità
Resistenza ai graffi

Extraordinary shine
High Durability
Scratch Resistance

La nuova finitura lucida HIGH GLOSS riflette una maggior quantità di luce, aumentando la definizione dei dettagli e del colore, donando agli ambienti una lucentezza straordinaria.

The new HIGH GLOSS glossy finish reflects a greater amount of light, increasing the definition of details and color, giving rooms an extraordinary shine.

CALACATTA ORO

HIGH GLOSS | SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H2
60×60
24"×24"

HG H4
SOFT S4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY | DESIGN VARIATION | PAVIMENTO FLOOR TILE | RIVESTIMENTO WALL TILE | V3 SHADE VARIATION | R9 SLIPPING RESISTANCE | 9 SPESSORE THICKNESS

DESIGN VARIATION

SAHARA NOIR

HIGH GLOSS | SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
SOFT S4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY | DESIGN VARIATION | PAVIMENTO FLOOR TILE | RIVESTIMENTO WALL TILE | V3 SHADE VARIATION | R9 SLIPPING RESISTANCE | 9 SPESSORE THICKNESS

DESIGN VARIATION





LABRADORITE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION





BRECCIA PARADISO

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



CRYSTAL AFRODITE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"x48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION





AMAZZONITE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"x48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



PREZIOSI

6 COLORI / **9** mm
LUX / RETTIFICATO

6 COLORS / 9 mm / LUX / RECTIFIED

PORTORO GOLD 60×120 | 24"×48"

Preziosi
HIGH GLOSS

Lucentezza straordinaria
Elevata durabilità
Resistenza ai graffi

Extraordinary shine
High Durability
Scratch Resistance

La nuova finitura lucida HIGH GLOSS riflette una maggior quantità di luce, aumentando la definizione dei dettagli e del colore, donando agli ambienti una lucentezza straordinaria.

The new HIGH GLOSS glossy finish reflects a greater amount of light, increasing the definition of details and color, giving rooms an extraordinary shine.



ÈLITE WHITE

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"x48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY	DESIGN VARIATION	PAVIMENTO FLOOR TILE	RIVESTIMENTO WALL TILE	SHADE VARIATION	SLIPPING RESISTANCE	SPESSORE THICKNESS
				V3	R9	9

DESIGN VARIATION





ÈLITE GRIS

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4	HG H6
60×120 24"×48"	120×120 48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

BRECCIA ONICIATA

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

BRECCIA BLU

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

BRECCIA VENEZIA

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

WALL **PORTORO GOLD** 60×120 | 24"×48"
FLOOR **STATUARIO ORO** 60×60 | 24"×24"



PORTORO GOLD

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4

60×120
24"x48"

DIGITAL TECHNOLOGY | DESIGN VARIATION | PAVIMENTO FLOOR TILE | RIVESTIMENTO WALL TILE | V3 SHADE VARIATION | R9 SLIPPING RESISTANCE | 9 SPESSORE THICKNESS

DESIGN VARIATION



BIANCHI

4 COLORI / ⇳ **9** mm
LUX / RETTIFICATO
4 COLORS / ⇳ 9 mm / LUX / RECTIFIED

ÈLITE RENOIR 120×120 | 48"×48"

BIANCHI

CALACATTA GOLD

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P2
60×60
24"×24"

POL. P3
80×80
32"×32"

POL. P4
60×120
24"×48"

POL. P6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

ÉLITE RENOIR

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H2
60×60
24"×24"

HG H3
80×80
32"×32"

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION



STATUARIO ORO

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P2
60×60
24"×24"

POL. P4
60×120
24"x48"

POL. P3
80×80
32"×32"

DIGITAL TECHNOLOGY | DESIGN VARIATION | PAVIMENTO FLOOR TILE | RIVESTIMENTO WALL TILE | V3 SHADE VARIATION | R9 SLIPPING RESISTANCE | 9 SPESSORE THICKNESS

DESIGN VARIATION



CALACATTA DIAMOND

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P2
60×60
24"×24"

POL. P4
60×120
24"×48"

POL. P3
80×80
32"×32"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

MARMI

4 COLORI / ⥮ **9** mm
LUX / RETTIFICATO
4 COLORS / ⥮ 9 mm / LUX / RECTIFIED

CREMA DI ROCCIA


PULPIS GREY

ÈLITE MARQUINIA


NEW MARQUINIA NERO

WALL & FLOOR **CREMA DI ROCCIA** 120×120 | 48"×48"

MARMI

PULPIS GREY cm 60×60 | 24"×24"

Pulpis grey
HIGH GLOSS

Lucentezza straordinaria
Elevata durabilità
Resistenza ai graffi

Extraordinary shine
High Durability
Scratch Resistance

La nuova finitura lucida HIGH GLOSS riflette una maggior quantità di luce, aumentando la definizione dei dettagli e del colore, donando agli ambienti una lucentezza straordinaria.

The new HIGH GLOSS glossy finish reflects a greater amount of light, increasing the definition of details and color, giving rooms an extraordinary shine.

CREMA DI ROCCIA

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P2
60×60
24"×24"

POL. P3
80×80
32"×32"

POL. P4
60×120
24"×48"

POL. P6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION





PULPIS GREY

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H2
60×60
24"×24"

HG H3
80×80
32"×32"

HG H4
60×120
24"×48"

HG H6
120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

ÉLITE MARQUINIA

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4

60×120
24"x48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION



NEW MARQUINIA NERO

HIGH GLOSS

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

HG H4	HG H6
60×120 24"x48"	120×120 48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



ONICI

3 COLORI / **9** mm
LUX / RETTIFICATO
3 COLORS / 9 mm / LUX / RECTIFIED

ONIX MOON 120×120 | 48"×48"

ONICE WHITE

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P2
60×60
24"×24"

POL. P4
60×120
24"×48"

POL. P3
80×80
32"×32"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

ONICE GOLD

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P4
60×120
24"×48"

POL. P2
60×60
24"×24"

POL. P3
80×80
32"×32"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

ONIX MOON

POLISHED

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

POL. P6

120×120
48"×48"

DIGITAL TECHNOLOGY

DESIGN VARIATION

PAVIMENTO FLOOR TILE

RIVESTIMENTO WALL TILE

V3
SHADE VARIATION

R9
SLIPPING RESISTANCE

9
SPESSORE THICKNESS

DESIGN VARIATION

MATT

INRESIN

120×120

3 COLORI / ⧗ **9** mm

MATT / RETTIFICATO

3 COLORS / ⧗ 9 mm / MATT / RECTIFIED

BIANCO

SAND

GREY

IN RESIN SAND 120×120 | 48"×48"

inResin
120×120 cm
Grandi formati per grandi progetti
Large formats for large projects

Ispirata ai pavimenti continui in resina, finitura opaca e colori neutri donano alle superfici una forte personalità, ideale per gli amanti dell'urban style.

Inspired by continuous resin floors, a matte finish and neutral colors give the surfaces a strong personality, ideal for urban style lovers.

IN**RESIN** BIANCO

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S6

120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

IN**RESIN** SAND

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S6

120×120
48"×48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



IN**RESIN** GREY

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S6

120×120
48"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

SMOOTH
60×120

3 COLORI / ⇳ **9** mm
MATT / RETTIFICATO
3 COLORS / ⇳ 9 mm / MATT / RECTIFIED

BIANCO

SAND

GREY

SMOOTH SAND 60×120 | 24"×48"

SMOOTH SAND

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"x48"

DIGITAL TECHNOLOGY | DESIGN VARIATION | PAVIMENTO FLOOR TILE | RIVESTIMENTO WALL TILE | V3 SHADE VARIATION | R9 SLIPPING RESISTANCE | 9 SPESSORE THICKNESS

DESIGN VARIATION

SMOOTH BIANCO

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"x48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

SMOOTH GREY

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"x48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION

INSTONE

60×120

3 COLORI / **9** mm

MATT / RETTIFICATO

3 COLORS / 9 mm / MATT / RECTIFIED



IN**STONE GRIGIO** 60x120 | 24"x48"

INSTONE BIANCO 60×120 | 24"×48"

INSTONE BIANCO

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"×48"

DIGITAL TECHNOLOGY
DESIGN VARIATION
PAVIMENTO FLOOR TILE
RIVESTIMENTO WALL TILE
V3 SHADE VARIATION
R9 SLIPPING RESISTANCE
9 SPESSORE THICKNESS

DESIGN VARIATION



INSTONE GRIGIO

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"x48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION

INSTONE BEIGE

SOFT

Gres porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

SOFT S4

60×120
24"x48"

DIGITAL TECHNOLOGY · DESIGN VARIATION · PAVIMENTO FLOOR TILE · RIVESTIMENTO WALL TILE · V3 SHADE VARIATION · R9 SLIPPING RESISTANCE · 9 SPESSORE THICKNESS

DESIGN VARIATION



MER CHAN DI SING

SLABS
SAMPLE BOX

CAMPIONI/SAMPLES
11,5×23cm

DISPLAY
EXOTICA
9 PEZZI/PIECES **60×120**
DIM. 104L × 71P × 125H cm

DISPLAY
PREZIOSI
6 PEZZI/PIECES **60×120**
3 PEZZI/PIECES **120×120**
DIM. 134L × 50P × 125H cm

DISPLAY
BIANCHI MARMI&ONICI
9 PEZZI/PIECES **60×120**
DIM. 104L × 71P × 125H cm

DISPLAY
INSTONE +SMOOTH
6 PEZZI/PIECES **60×120**
DIM. 104L × 50P × 125H cm

SLIDE DISPLAY
120×120
10 PEZZI A SCELTA
10 PIECES OF YOUR CHOICE
DIM. 59L × 125P × 125H cm

DATI TECNICI

TECHNICAL DATA

CARATTERISTICHE TECNICHE

TECHNICAL CHARACTERISTICS

GRES PORCELLANATO / PORCELAIN TILES
ISO 13006:2018 ANNEX G – BIa GL

Tutti i prodotti **Via Roma Ceramiche** appartenenti a questa categoria sono conformi ai requisiti di norma e **certificati dal Centro Ceramico di Bologna**.
All ***Via Roma Ceramiche*** products in this category comply with statutory requirements and certified by ***Centro Ceramico di Bologna***.

	CARATTERISTICA TECNICA *TECHNICAL FEATURE*	**METODO DI PROVA** *TEST METHOD*	**REQUISITO ISO 13006:2018 - G** *REQUIRED ISO 13006:2018 - G*	**LEVIGATI** *POLISHED SURFACE* **VALORE MEDIO** *MEAN VALUE*
	Qualità della superficie Surface quality	UNI EN ISO 10545-2:2018)	% di piastrelle senza difetti ≥ 95 % of tiles without defects ≥ 95	Conforme Complies
	Lunghezza e larghezza Length and width	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 1.0 mm)	Conforme Complies
	Spessore Thickness	UNI EN ISO 10545-2:2:18	≤ ± 5 % (± 0.5 mm)	Conforme Complies
	Rettilineità degli spigoli Straightness of sides	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 0.8 mm)	Conforme Complies
	Ortogonalità Rectangularity	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 1.5 mm)	Conforme Complies
	Curvatura del centro Centre curvature	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Curvatura dello spigolo Edge curvature	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Svergolamento Warpage	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Assorbimento dell'acqua Water absorption	UNI EN ISO 10545-3:2018	≤ 0,5%	0,21 %
	Resistenza alla flessione media Average bending strength	UNI EN ISO 10545-4:2019	≥ 35 N/mm²	37,7 N/mm²
	Sforzo di rottura Breaking strength	UNI EN ISO 10545-4:2019	≥ 1.300 N (spessore ≥ 7.5 mm) ≥ 700 N (spessore < 7.5 mm)	1632 N
	Resistenza all'urto Impact resistance	UNI EN ISO 10545-5:2000	Metodo di prova disponibile Test method available	0,80
	Resistenza all'abrasione Resistance to abrasion	UNI EN ISO 10545-7:2000	Classe di abrasione e numero di giri Abrasion class and cycles passed	Classe 5 (> 12.000)
	Dilatazione termica lineare Linear thermal expansion	UNI EN ISO 10545-8:2014	<6.10-6 °C-1	6,8/6,8 10−6/°C
	Resistenza agli sbalzi termici Thermal shocks resistance	UNI EN ISO 10545-9:2014	Richiesta resistenza a 10 cicli Resistance required at 10 cycles	Resistente Resistant
	Espansione all'umidità Moisture expansion	UNI EN ISO 10545-10:2000	Metodo di prova disponibile Test method available	0.0 mm/m
	Resistenza al cavillo - Piastrelle smaltate Crazing resistance - Glazed tiles	UNI EN ISO 10545-11:2000	Richiesto Request	Resistente Resistant
	Resistenza al gelo Frost resistance	UNI EN ISO 10545-12:2000	Richiesto Request	Resistente Resistant
	Resistenza agli agenti chimici - Resistenza ai prodotti chimici per uso domestico e sali per piscina. Chemical resistance - Resistance to household chemicals and swimming pool salts	UNI EN ISO 10545-13:2017	Minimo B Minimum B	A
	Resistenza chimica - Resistenza ad acidi e basi a bassa ed alta concentrazione Chemical resistance - Resistance to low and high concentrations of acids and alkalis	UNI EN ISO 10545-13:2017	Nessuna alterazione visibile No evident variation	A
	Resistenza alle macchie Resistance to staining	UNI EN ISO 10545-14:2015	Minimo classe 3 Minimum class 3	Classe 5/5/5 Class 5/5/5
	Resistenza allo scivolamento Slip resistance classification	DIN 51130 - 06/2004	da 6° ≤ 10° R9 > 10° ≤ 19° R10 > 19° ≤ 27° R11	R9

IMBALLI
PACKING DETAILS

FORMATI SIZES	SPESSORE THICKNESS	TIPO PALLET PALLET TYPE	SCATOLA BOX			PALLET PALLET		
			PZ. PCS	M² SQM	KG WT	SCATOLE BOX	M² SQM	KG WT
60×60 cm 24"x24"	9 mm	Europallet	4	1,44	26,50	36	51,84	974
60×120cm 24"x48"	9 mm	Europallet	2	1,44	27,80	32	46,08	909,60
80×80 cm 32"x32"	9 mm	Europallet	3	1,92	38,00	36	69,12	1.388
120×120 cm 48"x48"	9 mm	**Verticale** Vertical	2	2,88	60	28	80,64	1.702
		Orizzontale Horizontal	2	2,88	60	20	57,6	1.200

FORMATI SIZES	SPESSORE THICKNESS	TIPO PALLET PALLET TYPE	LASTRA SLAB			CASSA CRATE		
			PZ. PCS	M² SQM	KG WT	PZ. PCS	M² SQM	KG WT
120×240 cm 48"x95" **Senza scatola** Without Box	9 mm	**Cassa** Crate € 150,00	1	2,88	60	15	43,20	950
120×280 cm 48"x111" **Senza scatola** Without Box	6 mm	**Cassa** Crate € 150,00	1	3,36	51	20	67,20	1.100

I prodotti sono imballati in scatole generiche "Gres porcellanato"

The products are packed in generic boxes "Porcelain stoneware"

CONDIZIONI GENERALI DI VENDITA
GENERAL CONDITIONS OF SALES

Art. 1 - Ordinazioni
Le commissioni, eventuali varianti, esazioni, trattative abbuoni, transazioni, ecc., fatte da Agenti od intermediari non sono valide senza ns. conferma scritta.

Art. 2 - Prezzi
I prezzi si intendono al netto, per contanti per consegna franco stabilimento, salva diversa pattuizione. Se fra la data di ordinazione e quella di consegna si verificassero aumenti nei costi delle materie prime, dalla mano d'opera ai combustibili, nelle spese di produzione di trasporto, ecc., il venditore potrà aumentare il prezzo convenuto. Tuttavia qualora detto prezzo superi il 20% quello convenuto al momento della ordinazione, il compratore potrà recedere dal contratto notificandoci per raccomandata tale sua volontà entro il termine perentorio di 10 giorni dal ricevimento dell'avviso di aumento prezzo.

Art. 3 - Consegne
I termini di consegna sono sempre e puramente indicativi e la proroga di essi non può dare diritto al compratore a richiesta di indennizzo od altro, ogni eccezione rimossa. Solo nel caso il ritardo superi i 60 giorni il compratore potrà comunicare con lettera raccomandata la sua intenzione di considerare risolto il contratto; resta escluso ogni risarcimento di danni a suo favore.

Art. 4 - Spedizioni
Il materiale viaggia a rischio e pericolo del compratore e si intende venduto nello stabilimento deposito declinando il venditore ogni responsabilità anche nel caso venga fornito franco destino. Sarà dovere del compratore verificare il materiale prima del ritiro, facendo le dovute riserve a chi di ragione nel caso venissero riscontrate rotture o differenze nel quantitativo del materiale, delle quali il venditore non può essere chiamato a rispondere.

Art. 5 - Pagamenti
Il luogo di pagamento resta fissato e fermo esclusivamente presso le ns. sedi. Anche nel caso nel contratto sia previsto il pagamento in un luogo diverso o con emissioni di tratte o con rilascio di cambiali, le relative clausole si intendono rivolte soltanto a facilitare il pagamento da parte del compratore ma non comportano lo spostamento del luogo stesso che resta fissato presso le ns. sedi legali. Le spese di bollo ed incasso effetti e tratte sono a carico del compratore. Facoltà di emettere tratte - Trascorsi 10 giorni da quello fissato per il pagamento saremo senz'altro autorizzati ad emettere a copertura del prezzo tratta a vista con spese senza preavviso.

Art. 6 - Riservato dominio
Le merci sono vendute con patto di riservato dominio ai sensi degli art. 1523 e segg. del Cod. Civ. Di conseguenza sino al totale pagamento dell'intero prezzo, compresi eventuali interessi ed accessori tutti, le merci rimangono di ns. proprietà.

Art. 7 - Interessi di mora
Dal giorno fissato per il pagamento decorreranno a ns. favore gli interessi commerciali correnti.

Art. 8 - Clausola risolutiva
In caso di mancato pagamento, anche di una sola parte del materiale già fornito e anche nel caso il compratore ritardi di 8 giorni ad effettuare il pagamento di qualsiasi forma previsto, il venditore avrà la facoltà di considerare risolto il contratto con conseguente esonero dell'obbligo di effettuare le forniture non ancora eseguite, così pure in caso di insolvenza, anche solo apparente, dell'acquirente.

Art. 9 - Solve et repete
Per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, il compratore potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di ripetere quanto possa dimostrare di avere indebitamente pagato.

Art. 10 - Reclami e garanzie
Non si prendono in considerazione reclami e contestazioni, se non fatti direttamente a noi, a mezzo lettera raccomandata entro e non oltre 8 gg. dall'arrivo della merce a destino e comunque dopo la posa in opera del materiale. Il compratore che abbia avanzato reclamo in tempo utile dovrà tenere ferma a disposizione del venditore per ogni controllo tutta la partita di materiale e ove siano accertati vizi e difetti di qualità, egli avrà diritto alla sola sostituzione dei materiali difettosi con esclusione di qualsiasi risarcimento danni. La responsabilità della venditrice in nessun caso si estende all'uso cui il compratore intende destinare il ns. prodotto. Nemmeno nel caso che da parte ns. siano forniti suggerimenti o consigli circa l'installazione dello stesso. Dietro ns. previa autorizzazione, possiamo esclusivamente accettare la restituzione del materiale. Ci riserviamo inoltre il diritto di sospendere in qualunque momento la vendita di taluni prodotti o di apportare agli stessi determinate modificazioni, qualora particolari esigenze di natura tecnica o commerciale ci inducano ad un mutamento degli attuali ns. programmi produttivi o distributivi.

Art. 11 - Decadenza della garanzia
Al ricevimento della merce il compratore dovrà sottoporla ad accurato controllo, aprendo le scatole, in caso riscontri vizi in qualsiasi modo apparenti o per i quali opera la ns. garanzia, il compratore dovrà avanzare reclamo che sarà valido soltanto se sarà formulato con lettera raccomandata indirizzata direttamente a noi entro il termine perentorio di 8 giorni dal ricevimento del materiale. Decorso tale termine il compratore decadrà da ogni garanzia per qualsiasi vizio che possa essere considerato apparente a parere di un esperto. Nel caso abbia avanzato utilmente reclamo il compratore dovrà tenere a ns. disposizione l'intera partita di materiale, ove invece ne disponga, anche in parte, decadrà da ogni garanzia.

Art. 12 - Foro
Per qualsiasi controversia, comunque relativa alla fornitura, tanto da parte del venditore come da parte del compratore, viene attribuita, con applicazione della legge italiana, competenza esclusiva al foro di Salerno il tutto, salvo diversa designazione da parte del venditore.

Art. 1 - Orders
Commissions, any possible variations, exactions, negotiations remittances, transactions etc served as Agents, or intermediaries are not valid without our writing confirmation.

Art. 2 - Prices
The prices are to be intended to the clean one, for cash for delivery ex works, except that in case of different agrements. If among the date of order and that of delivery they occured increases in the costs of raw materials, from the labour costs of the fuels, in the expenses of production of transportations etc. the seller can increase the agreed upon price. Nevertheless if said price is overcome 20% that agreement during the order, the buyer can recede from the contract notifying us for such registered letter his/her wish within the peremptory term of 10 days from the reception of the notice of increase price.

Art. 3 - Deliveries
The terms of delivery are always and purely indicative and the extension of them cannot give right to the buyer to application of indemnification or other, without any kind of exceptions. Only in the case the delay overcomes the 60 days the buyer can communicate with recommended letter its intention to consider resolved the contract; it stays excluded every reimbursement of damages to his/her favour.

Art. 4 - Consignments
The material travels to risk and danger of the buyer and it intends sold in the warehouse deposit also declining the seller every responsibility in the case is furnished ex works. It would be duty of the buyer to verify the material before the withdrawal, making due reserves to whom of reason in the case breaups or differences were found in the quantity of the material, of which the seller cannot have called to answer.

Art. 5 - Payments
The place of payment stays fixed and exclusively stopped near our centers. Also in the case in the contract is anticipated the payment in a different place or with issues of drawn or with release of bills, the relative clauses intends only revolts to facilitate the payment from the buyer but don't behave the move of the place same that stays fixed near the our legal centers. The expenses of stamp and collection effects and drawn are to load of the buyer.
Faculty to send forth drawn - Departed 10 days from that fixed for the payment we will cerainly be authorized to send forth to coverage of the price it treats to sight with expenses without warning.

Art. 6 - Riservation of title
Goods are sold with agreement of RISERVATION OF TITLE to the senses of the art. 1523 and following of the Codice Civile. Accordingly actually to the total payment of the wole price, inclusive any possible interest and accessories all, the goods remain in our ownership.

Art. 7 - Interests for delaied payment
From the day fixed for the payment the will elapse to our favour the current commercial interest rates.

Art. 8 - Decisive clause
In case of missed payment, also of only a part of the material already furnished and also in the case the buyer delaies up to 8 days to effect the payment in any kind agreed upon, the seller will have the faculty to consider resolved the contract with consequent exemption of the obligation to effect the supplies not yet performed, so also in case of insolvency, also only apparent, of the buyer.

Art. 9 - Solve et repete
For any reason, inclusive claimed faults or defects of the material, the buyer can suspend or delay the payment of the withdrawed material, except of course the faculty to repeat how much can show to unduely have paid.

Art. 10 - Claims and guarantees
They are not considered claims and confrontations, if not directly addressed to us, by letter within and not over 8 days from the arrival of the commodities to destiny and however after the laying in work of the material. The buyer that has advanced claim in useful time will owe to hold firm to disposition of the seller for every control the wole lot of material and when it should be verified faults and defects of quality, he will have the only right to the substitution of the defective materials with exclusion of any reimbursement damns. The responsibility of the seller in no cases could be extended to the use which the buyer intends to destine the product, even in the case that from our side suggestions are furnished or recommendations about the laying of the same. After our previous authorization, we can exclusively accept the restitution of the material. We reserve besides the right to suspend in whatever moment the sale of any products or to bring to the same determined modifications, if particular demands of technical or commercial kind induce us to a change of our current productive or distributive programs.

Art. 11 - Expiry of the guarantee
After acknowledgment of the commodities the buyer will have to submit it to accurate control, opening the boxes, in case he finds faults in any apparent way or for which works our guarantee the buyer will have to advance claim that will be valid only if it will be formulated with recommended letter directly addressed to us within the peremptory term of eight days after acknowledgment of the commodities. Elapsed such term the buyer will decay from any guarantee for any faults that can be considered apparent to expert evaluation. In case the buyer had usefully advanced claims it will have hold to our disposal the whole lot of material, instead in absence of it, also partly, it will decay from any guarantee.

Art. 12 - Competent jurisdiction
For any controversy, however related to the supply, so much from the seller as from the buyer, with application of the italian law, exclusive competence would be to the court of Salerno, except different designation from the seller.